

Fri G. H. Visweswara (born in 1950) has a B.E in Electronics from Bangalore and a PG Diploma in Computer Science from IIT, Bombay, with honors. He has worked in very senior positions up to that of CEO the Information and MD in Technology industry, particularly in R&D for the past 37 years. He has astrology by himself by learnt studying many of the best books and authors, including the classics.



By

G. H. Visweswara, India

Editor: Juliana Swanson, Hawai

Alzheimer's Disease: Introduction

Medical:

• Medline Plus describes this disease briefly as follows: Alzheimer's Disease (AD) is the most common form of dementia among older people. Dementia is a brain disorder that seriously affects a person's ability to carry out daily activities.

• AD begins slowly. It first involves the parts of the brain that control thought, memory and language. People with AD may have trouble remembering things that happened recently or names of people they know. A related problem, mild cognitive impairment (MCI), causes more memory problems than normal for people of the same age. Many but not all of those with MCI will develop AD.

• In AD, over time, symptoms get worse. Those afflicted by AD may not recognize family members and may have trouble speaking, reading or writing. They may forget how to perform ordinary activities of daily living such as proper grooming. Later on, they may become anxious or aggressive, or wander away from home. Eventually, they will need total care. This can cause great stress for family members who must care for them.

• AD usually begins after age 60. The risk goes up with advancing age. Risk is also higher if a family member has had the disease. No treatment can stop the disease. However, some drugs may help keep symptoms from getting worse for a limited time.

• According to latest figures of the World Health Organization, nearly 3.7 million people in India suffer from the disease—a number that is set to double over the next 20 years. Globally a whopping 35.6 million are afflicted by this debilitating condition.

• Recent developments in medicine claim that a vaccine for AD may become available in the next five to ten years.

Astrological:

• Mr. Vaughn Paul Manley, M.A. in an article on March 8, 2007 has noted the following: 'Recently I spoke with an ayurvedic physician who told me that Alzheimer's Disease is the result of the constriction of blood flow to the brain, causing memory loss, and disorientation. He also said that the constriction of blood is due to an inflammation of the arteries leading to the brain. In ayurvedic terminology, inflammations are a pitta disorder or an excess of the fire element. In Vedic astrology, inflammations are associated with Mars.'

• Mercury's well-known significations include diseases of brain, disorders of nervous system, nervous breakdown, imperfections of tongue, speech disorders and defects of memory and intelligence.

• Saturn signifies old age and chronic, slowly deteriorating health problems.

• Gulika (Gk) and Maandi (Md) are considered to be generally harmful. Lords of Md rasi or grahas associated with Md are considered to be malefic. Mercury under the influence of Gk is said to cause diseases of the nervous system (including the brain), and is said to result in *Mathi Bhramana Yoga*, a combination that can signify mental confusion.

• Fifth house significations include good or bad memory, analytical skills and discrimination.

• The Mahadasha in effect would normally be around or after the age of sixty. The relevant Mahadasha lord and Antardasha lord will 'trigger' Mercury in some way.

Finding the parameters that may indicate AD has been done with this background in this article with 14 cases for which reasonable data was available.

Abbreviations: MD is Mahadasha and AD is Antar dasha.

Common Pattern:

P1: Mercury is afflicted by Mars and in most cases additionally by Saturn. Affliction to the sign of Gemini can be considered a secondary condition. In some cases there may be affliction by the 6th and/or 8th lord (6/8L). Generally, there is no influence of an unblemished/unafflicted benefic on Mercury or Mars.

P2: Gk and/or Md influence Mercury in 'some way'.

P3: Fifth house (5H) and/or Fifth lord (5L) have some form of affliction.

P4: The Lagna or Lagna Lord (LL) are influenced by Mercury and/or Mars in 'some way'.

P5: Dasha lords around the relevant time of beginning of symptoms 'trigger' Mercury.

SL Ve	Ma Me Su GL	Мо	HL Ke			AL (Ju)	Md Sa	Su As	HL
Md Gk Sa	R	asi		Ke			amsa		
		2, 1936 6:00 west)	AL	Ve Mo		campbell-glen April 22, 1936 20:14:00 (6:00 west) 93 W 30, 34 N 1		Ra	
Ra (Ju)		As		Gk SL		Me	GL Ma		
Me: 23	Li 47 Ar 26- AmK Sg 58- PiK	Ju: 1	Ar 47- PK Sg 13- DK 3 Ge 58	Mo: Ve: HL:	21 F	Pi 52- MK	Sa: 2	22 Ar 33- E 25 Aq 39- / 23 Ar 06	

Case 1: Glen Campbell

Pr: Mercury is afflicted by close conjunction of Mars in the sign of Mars and a degree-wise close aspect of Saturn. Mercury is also aspected by malefic Jupiter who is in gandantha, first

degree. There is no influence of unblemished/unafflicted benefic on Mercury or Mars. In the D-9, Mercury is afflicted by Saturn and placed in an inimical sign of Mars in 6H.

P2: Saturn who aspects Mercury is conjoined Gk and Md.

P3: Md and Gk occupy the 5H and are conjoined 5L Saturn.

P4: Mars and Mercury are aspecting Lagna.

P5: Diagnosed in Jan 2010; dasha was of Mercury-Mercury-Mercury; Mercury's MD started Dec 2009; prior to this it would have been Saturn's MD and Saturn aspects Mercury.

(Me) Sa Su Gk	a Md Ke	GL	As	Sa HL	Ra Ve	AL GL	SL	Ju As
Ve Ju		asi		Gk	Su		amsa	
	April 8 11:00:00 (t h-care , 1939 5:00 west) 40 N 20			Мо	April 8 11:00:00 (e th-care 5, 1939 5:00 west) 40 N 20	Md
Ma	Мо	SL Ra	AL HL			(Me)		Ke Ma
Me:	27 Ge 16 15 Pi 33- GK 16 Li 42- DK	Ju: 2	4 Pi 55- BK 9 Aq 55- AK 6 Ar 42	Mo: Ve: HL:	16 /	Aq 49- PK	Sa: 27	Sg 56- PiK Pi 37- AmK Ta 25

Case 2: Elizabeth Care

P1: Mercury is afflicted by an aspect of Mars (6/11L) who is close to the degree of Mercury. Mercury is conjoined Saturn (8/9L) who also aspects Mars; Mercury is also in the nakshatra of Saturn. There is no influence of unblemished/unafflicted benefic on Mercury or Mars. In the D-9, Mercury is in the 6H in the sign of Mars.


P2: Gk is conjoined Mercury and Saturn; and Mars is the dispositor of Md.

P3: Rahu occupies the 5H; 5L Venus is in a nakshatra of Rahu and aspected by it.

P4: Mercury is LL, and Mars also aspects Lagna.

P5: Confirmed in Nov 1998; dasha was Mars-Venus-Sun/Moon; MD started in Sept 1993 and AD of 5L Venus began in Aug 1998. Sun conjoins Mercury and is aspected by Mars.

Case 3: Charlton Heston



P1: Mercury conjoins the Sun who disposits an afflicted Mars; Saturn conjoins Mercury. There is no influence of unblemished/unafflicted benefic on Mercury or Mars. In the D-9, Mercury is in the Rahu-Ketu (R-K) axis, and aspected by Saturn and Mars.

P2: LL Venus, as dispositor of Gk and Md, is conjoined Mercury.

P3: Ketu occupies the 5H and is aspected by afflicted Mars; 5L Saturn is afflicted by the Sun in the 12H and Saturn is also in the nakshatra of afflicted Mars. Malefic Jupiter is in the Lagna and aspects the 5H.

P4: LL Venus conjoins Mercury.

P5: News announced in early Aug 2002; dasha was of Moon-Sun-Saturn; Moon MD began November 1992; Sun MD from May 2002; Moon is in nakshatra of malefic Jupiter placed in Lagna and aspecting 5H; Sun is conjoined Mercury and disposits afflicted Mars; Sun also afflicts 5L Saturn; Sun as 11L is malefic.

Case 3: Robert Huebner

P1: Mercury disposits Mars and is afflicted by Rahu, 6L Sun and Venus (3/8L); Mercury is aspected by Saturn. There is no influence of unblemished/unafflicted benefic on Mercury or Mars. In the D-9, Mercury is conjoined Saturn.

P2: Gk conjoins Mars.

P3: Md occupies the 5H and is aspected by Saturn, dispositor of several malefics; 5L Moon conjoins debilitated Jupiter and is aspected by Mars.

As	HL	Sa	GL SL Ma		As	Gk Ra	HL Ju	Sa GL Me
Me Ve Su Ra		asi	Md	Ve) Ma	Na	vamsa	AL Md
Ju Mo		r-robert 23, 1914	Ke		Su		er-robert y 23, 1914	Мо
		6:00 west) 7, 39 N 9					6:00 west) 7, 39 N 9	
	AL						SL Ke	
	27 Pi 09		11 Aq 29- GK	Mo		5 Cp 46- AmK		3 Ge 41- PK
	29 Aq 30- AK 22 Aq 54- DK		14 Cp 60- MK 22 Le 54	Ve: HL:		4 Aq 21- PiK 6 Ar 37		8 Ta 41- BK 9 Ge 27

P4: LL Jupiter is aspected by Mars from the sign of Mercury.

P5: Diagnosed in 1982; dasha was of Mercury-Mars/Rahu; Mercury from 1972, Mars from May 1981 and Rahu from May 1982.

Case 4: Marian Mercer

P1: Mercury is in the sign of afflicted Mars and is aspected by Saturn. Mercury further disposits Ketu. There is no influence of unblemished/unafflicted benefic on Mercury or Mars. In the D-9, as well, Mercury is aspected by Mars and Saturn.

P2: Mercury is the dispositor of Gk and Md.

P3: Afflicted Mars occupies the 5H; 5L Jupiter is totally combust; And Saturn aspects the 5H.

P4: LL Sun conjoins Mercury.

	SL	HL	Md Gk Ke		Md (<u>SL</u>	Ke			
Sa		asi	GL		ŀ	łL	Na	vamsa		Me
		Rasi mercer-marian November 26, 1935 1:20:00 (5:00 west)			Sa		- merce Novemb 1:20:00	e r-ma er 26,	rian 1935	AL _{Ve}
Ra Ma	81 W 3 ² Mo AL Me Su	I, 41 N 4	Ve		Ma A	G	81 W 3			SL
As:	Ju 27 Le 21	Su:	10 Sc 06- PK		/ o:	11	1 Sc 56- BK	Ma:	28	Sg 36- AK
Me: Ra:	2 Sc 16- DK 21 Sg 51- GK	Ju:	10 Sc 51- MK 21 Ge 51	۷	/e: L:	23	3 Vi 37- AmK Ta 34	Sa: GL:	10	Aq 50- PiK Cn 23

P5: Suffering from the disease, she died on 27 Apr 2011; dasha was of Rahu-Rahu-Ketu; the MD began in August 2009; prior to that it would have been the MD of Mars. Rahu conjunct Mars is in 5H and aspects Gemini; Mars disposits Mercury and 5L Jupiter.

Case 5: Mildred Caroon

(Me)	Ma Su	Ke A Ve	L SL Ju	(Sa) GL Ve	Ke	Su As	Md _{Ma}
HL _{As}	R	asi	(Sa)	HL Gk	Ju	Nav	amsa	
Gk Md	April 1 5:00:00 (4	-caroon 8, 1919 4:00 west) , 35 N 17			AL	April 1 5:00:00 (4	l -caroon 8, 1919 4:00 west) , 35 N 17	,
	Ra GL Mo				(Me)		Ra	Мо
Me:	26 Aq 27 18 Pi 26- AmK 13 Sc 18- BK	Su: Ju: Ke:	4 Ar 33- DK 16 Ge 20- MK 13 Ta 18	Mo: Ve: HL:	8 T	a 34- PK	Ma: Sa: GL:	9 Ar 38- PiK 28 Cn 39- AK 28 Sc 45

PI: Rahu aspects Mercury who is in its sign of debilitation; Rahu is with 6L Moon, each in their signs of debilitation; combust Mars aspects Rahu; Saturn aspects Mercury in

retrograde. There is mutual aspect between Mars and Saturn. There is no influence of unblemished/unafflicted benefic on Mercury or Mars. In the D-9 also, Mercury is aspected by Mars and Saturn.

P2: Saturn disposits Gk and Md, and Saturn aspects Mercury.

P3: 5L Mercury is quite afflicted. There is exchange between Jupiter in 5H and Mercury.

P4: Mercury in retrograde influences Lagna; LL Saturn is in 6H. Lagna is aspected by Jupiter who disposits Mercury. Mars aspects LL Saturn.

P5: She died on July 18, 2009; dasha was Rah-Mercury-Jupiter; Rah MD from Aug 1999, Mercury AD from July 2007.

SL GL	Ra Sa	Md Gk ^{Ma}	AL	Ve	Su	Ra Mo	Md	
Mo H As		asi		SL	. Gk Ma		amsa	
Su	January 8:56:00 (li -aldo 23, 1912 1:00 east) 45 N 13			GL	January 8:56:00 (*	i -aldo 23, 1912 1:00 east) 45 N 13	AL Me
Me	Ve Ju	Ke			HL	Ju	Sa Ke As	
As: Me: Ra:	0 Aq 46 16 Sg 34- PiK 3 Ar 18- AmK	Ju: 1	9 Cp 21- GK 16 Sc 08- PK 3 Li 18	Mo: Ve: HL:	29 \$	Sc 25- AK	Sa: 20	Ta 10- DK Ar 44- MK Pi 04

Case 6: Aldo Spoldi

PI: Mercury is 5/8L in 11H aspected by Mars who is dispositor of afflicted Saturn. There is no influence of unblemished/unafflicted benefic on Mercury or Mars. In the D-9 also, Mercury is aspected by Mars.

P2: Mars conjoins Gk and Md.

P3: The 5H is aspected by afflicted Saturn from its sign of debilitation, and 5L Mercury is afflicted as given above.

P4: LL Saturn is afflicted and is in the sign of Mars.

P5: Toward his later years, Spoldi had AD before he died on 11/19/1997; dasha was of Moon-Jupiter; Moon MD started from Aug 1994 and Jupiter AD from July 1997. Moon is disposited by Saturn, and Jupiter is in the sign of Mars and aspected by Mars. Jupiter disposits Mercury. Considering the earlier MD of Sun as another possible dasha of the disease commencement, the Sun is disposited by Saturn who afflicts the 5H and sign of Gemini; and Saturn is disposited by Mars who afflicts Mercury.

	Me SL Mo	Ve Su	Ma		(Sa)	HL Md Ve	AL Ke	SL Mo
	R	asi	Ra GL As Gk	Ma	Su	Nav	amsa	GL Me
Ke	May 20 10:00:00 (er-ernie 0, 1925 (1:00 east) 49 N 15	Md	Gł	K As	May 20 10:00:00 (er-ernie), 1925 1:00 east) 49 N 15	
(Ju)		HL AL (Sa)			(Ju)	Ra		
Me: 10	Cn 27 Ar 46- PK Cn 26- BK	Ju: 2	3 Ta 01- DK 9 Sg 33- AK 5 Cp 26	Mo: Ve: HL:	12	Ta 59- PiK	Sa: 16	Ge 49- MK Li 50- AmK Cn 33

Case 7: Ernie Stautner

PI: There is exchange between Mars and Mercury; Mars is malefic as 6/11L; Saturn as 7/8L aspects Mercury. Jupiter is aspected by Mars, and Saturn aspects Mercury as 6L from 6H. There is no influence of unblemished/unafflicted benefic on Mercury or Mars. In the D-9, Mercury is not influenced by Mars or Saturn, but is aspected by Rahu in the sign of Mars, and by retrograde Jupiter who disposits Saturn.

P2: Moon as dispositor of Gk is in close conjunction with Mercury.

P3: Rahu aspects 5H; 7/8L Saturn aspects 5L Mars in retrograde; Jupiter as 6L aspects 5L from 6H. Mars is in a nakshatra of Rahu.

P4: LL Moon is conjunct Mercury in the sign of Mars and aspected by Saturn.

P5: He died of AD disease on February 16, 2006; dasha was of Saturn-Saturn, beginning May 2004.

Sa	Мо		Ra		HL As		Ke	AL	Gk	
	Rasi		HL				Nav	amsa	Ma	
	barry-go	oldwater		╢╟	GL		barry-g	oldwater		
GL	3:00:00 (7	2, 1909 7:00 west) , 33 N 26	(Ju)		Ve		January 2, 1909 3:00:00 (7:00 west) 112 W 4, 33 N 26			
Me AL Ke Su SL	Ve Ma	As	Gk Md		Мо		SL Me	Sa Ra (Ju)	a Md Su	
Me: 24	Li 48 Sg 18- BK Ge 26- AmK	Ju: 2	8 Sg 50- PK 1 Le 56- MK 2 Sg 26		fo: le: L:	20 \$	Sc 34- PiK		2 Sc 18- DI 11 Pi 25- GI 1 Cp 34	

Case 8: Barry Goldwater

P1: Mercury conjoins Ketu, which behaves like Mars; 3/6L Jupiter aspects Mercury from 11H; and Saturn aspects Mercury. Mercury is in a nakshatra of Venus who conjoins Mars. There is no influence of unblemished/unafflicted benefic on Mercury or Mars. In the D-9, Mercury is in the sign of Mars, who is in mutual aspect with Saturn.

P2: Mercury disposits Gk and Md.

P3: 5L Saturn is in the 6H; the 5H is aspected by Mars, Rahu and Jupiter (3/6L).

P4: LL Ven is aspected by dispositor of Mercury, viz Jupiter in retrograde. Mercury is in the nakshatra of LL Venus. Mars conjoins Venus.

P5: He suffered from AD toward the end of life and died on 5/29/1989. The MD of Mercury started in November 1983.

	Ra		Ju Ma AL	GL	Ju	AL GL	Ra	Gk Su
	alzhein August : 9:56:00 (6	asi 1 -case2 24, 1930 5:00 west) , 42 N 30	Mo Su		Me	August 9:56:00 (/amsa n-case2 24, 1930 6:00 west) I, 42 N 30	(Sa) HL Ve Mo As
HL Md Gk	SL	Ke	Me As	Ve		Ke SL Ma		Md
Me: 5	Vi 25 Vi 05- GK Ar 34- AK	Ju:	7 Le 52- P 19 Ge 39- I 3 Li 34		Ve: 2	5 Le 11- MK 3 Vi 04- AmK 2 Sg 43	Sa: 1	4 Ge 42- DK 2 Sg 35- PiK 0 Ge 15

Case 9: Case from an article of Mr. Vaughn Paul Manley

PI: Mercury aspected by Mars and Saturn. There is no influence of unblemished/unafflicted benefic on Mercury or Mars. In the D-9, Mercury is aspected by Mars; and Saturn in retrograde influences the sign of Gemini.

P2: Saturn with Md and Gk.

P3: 5L and 5H are aspected by 3/8L Mars; Rahu also aspects 5L Saturn.

P4: Mercury is the LL in the Lagna and is aspected by Mars.

P5: Showed signs of disease around 2002; dasha was of Jupiter-Mars; Mercury disposits both and is aspected by Mars.

Case 10: Iris Murdoch

Pr: Mars in the sign of Gemini. Mercury is with 6L Jupiter. There is no influence of unblemished/unafflicted benefic on Mercury or Mars. In the D-9, Mercury is aspected by Saturn.

	AL	Ke	Ma Su	Ke	As SL		Sa	HL GL
		asi	Me Ju As SL		Me	Navamsa iris-murdoch July 15, 1919 8:00:00 (1:00 east) 6 W 14, 53 N 19		Ju
GL _{M₀}	July 15 8:00:00 (*	u rdoch 5, 1919 1:00 east) 53 N 19	Sa Ve		Ma			Ve Gk Mo
	Ra	Md	Gk HL			AL Md		Ra
As: Me: Ra:	26 Cn 45 25 Cn 31- AmK 8 Sc 38- MK		29 Ge 00- AK 3 Cn 15- DK 8 Ta 38	Mo: Ve: HL:	14 l	Cp 23- BK ∟e 04- PiK Vi 14	Sa: 3	1 Ge 42- PK 3 Le 53- GK 7 Cp 13

P2: Gk is in the sign of Mercury.

P3: 5H has Rahu in its sign of debilitation.

P4: LL Moon is aspected by Mercury and Mars, and disposits Mercury.

P5: At the age of 77, she was suffering from AD and was "forgetful, but still able to look after herself." That would be around 1996. Mercury Mahadasha was from July 1979 to July 1996.

Case II: Ravel Maurice

SL Ra		GL	HL	Ra Ve			Mo Su AL	GL	
Su	L ravel-n March 22:00:00 (asi naurice 7, 1875 0:06 west) 43 N 23 (Ju) Md As	Ke	Ma Ma As SL HL (Ju		ravel-r March 22:00:00 (amsa naurice 7, 1875 0:06 wes 43 N 23 Gk	Ĺ	Ke Sa
As: Me: Ra:	12 Li 39 13 Aq 01- PiK 27 Pi 04- DK	Gk Su: 24 Ju: 8	4 Aq 51- BK 1 Li 54- GK 7 Vi 04	Mo: Ve: HL:	25 A 8 C			28 (Sc 15- MK Cp 09- AK Ta 23

P1: Mercury is aspected by Mars and 3/6L Jupiter. It is in a nakshatra of Rahu who is in the sign of Jupiter. There is no influence of unblemished/unafflicted benefic on Mercury or Mars. In the D-9 also, it is conjoined Mars in the sign of Saturn and disposits Saturn.

P2: Mercury is aspected by Jupiter who is conjoined Md and Gk.

P3: Mars and 3/6L Jupiter aspect the 5H. The 5L Saturn is aspected by Jupiter in retrograde.

P4: Venus is LL as described above.

P5: Showed signs of senility at the age of 57, which would be around 1932. The MD of Venus started in 1927 and Venus-Moon in July 1931; Venus is Lagna Lord and Moon is conjunct Mercury. Venus is in a nakshatra of the Sun who is conjunct Mercury.

	Ke	SL		GL	Ra	Ма		Md
Md _{Ve} Gk AL ^{Ju} MaHL	rudol	^{asi} f-bing 9, 1902		AL	Gk	rude	wamsa olf-bing y 9, 1902	
GL Su Sa Mo	8:00:00 (1	1:00 east) 48 N 12		Me		8:00:00	(1:00 east 2, 48 N 12	
As Me		Ra			As	Su		Mo
Me: 29	Sg 28 Sg 57- AK Li 34- PK	Ju:	25 Sg 37- BK 0 Cp 51- DK 17 Ar 34	Mo: Ve: HL:	(8 Sg 51- MK 6 Aq 17- GK 0 Cp 29	Ma: Sa: _{GL:}	13 Cp 15- PiK 26 Sg 12- AmK 7 Cp 47

Case 12: Rudolf Bing

PI: Mercury conjoins Saturn who disposits Mars; 8L Moon is also conjoined Mercury. Mercury is also combust. Mars conjoins the dispositor of Mercury. There is no influence of unblemished/unafflicted benefic on Mercury or Mars. In the D-9, there is no influence of Mars or Saturn on Mercury, except in an indirect way, that is, Saturn aspected by Mars aspects the dispositor of Mercury, Jupiter, in its sign of debilitation.

P2: Saturn disposits Gk and Md.

P3: Ketu occupies the 5H, but the 5L is in its sign of exaltation with debilitated Jupiter.

P4: Mercury is in the Lagna and Mars conjoins the LL.

P5: The symptoms began after 1983. Saturn-Mars dasha extended from March 1983 to May 1984.

Ju Ke Mo GL	Ve AL Su	(Me) Ma	As				As
		asi	Gk Md	Md _{Ju}		Navamsa	Ke Ve
Sa	salvador-dali May 11, 1904 8:45:00 (0:00 west) 2 E 58, 42 N 16			(Me) Ma HL	Ra Ma 8:45:0	lv ador-dali ny 11, 1904 00 (0:00 west 58, 42 N 16	AL (
SL			HL Ra	SL _{Su}	Gk		Sa GL Mo
Me: 0) Ge 43 Ta 57- DK Vi 22- BK		27 Ar 42- AmK 24 Pi 21- MK 2 Pi 22	Mo: Ve: HL:	9 Pi 57- PK 12 Ar 05- PiK 1 Vi 41	Ma: Sa: GL:	2 Ta 40- GK 28 Cp 09- AK 7 Pi 54

Case 13: Salvador Dali

P1: Mercury is in close conjunction with Mars; Mercury disposits Rahu; and Rahu aspects Mercury. Saturn is in a nakshatra of Mars. There is no influence of unblemished/unafflicted benefic on Mercury or Mars. In the D-9, Mercury conjoins Mars and disposits Saturn.

P2: There is no direct influence of Gk or Md; Md is in the nakshatra of Mercury and Gk in that of Saturn. The Moon who disposits these two is in the nakshatra of Saturn.

P3: The 5H is aspected by Saturn.

P4: LL is Mercury itself, which conjoins Mars.

P5: For the last eight years of his life, he suffered the mental deterioration that is symptomatic of AD. Dali died on January 23, 1989. That would imply around 1981 that the disease began. The dasha would be of Rahu-Rahu which commenced in Dec 1980. Rahu is placed alone in the sign of Mercury and aspects it. Before that it would have been the Mahadasha of Mars who is conjunct Mercury.

Case 14: Rita Hayworth

Mo	GL _{As}	SL Ke	AL _{Ju}			Sa Gk Ju		
		Rasi			SL		/amsa	^{Ke} GL Md
	October 19:22:00	orth-Rita 17, 1918 (4:00 west) 40 N 42	Md Gk Sa		Ra	October 19:22:00	Hayworth-Rita October 17, 1918 19:22:00 (4:00 west) 74 W 0, 40 N 42	
	Ra Ma	Me HI Su	Ve	Me	As	HL	Me Su	
	28 Ar 03 2 Li 46- GK	Su: Ju:	1 Li 03- DK 22 Ge 39- AK	Mo: Ve:		3 Pi 34- PiK 1 Vi 43- AmK	Ma: Sa:	19 Sc 11- BK 3 Le 04- PK
	22 Sc 58- MK		22 Ta 58	HL:		5 Li 00	GL:	11 Ar 41

Note: This birth data is rated DD in Astro databank, but since it appeared to meet most of the criteria, it has been used.

P1: Mercury is in the nakshatra of 8L Mars, and Mars is afflicted by Rahu and aspects the sign of Gemini; Saturn aspects combust Mercury. There is no influence of unblemished/unafflicted benefic on Mercury or Mars (but Jupiter is aspected by afflicted Mars from 8H as 8L). In the D-9 also, Saturn aspects Mercury, and Mars aspects the sign of Gemini.

P2: Saturn conjoins Md and Gk.

P3: Saturn, Md and Gk occupy the 5th house. The 5L Sun is in his sign of debilitation with 3/6L Mercury.

P4: The Lagna is aspected by Mercury, and Mercury is in a nakshatra of LL Mars.

P5: She suffered from AD in her later years and died on 14 May 1987. Her Sun MD was from June 1981 to June 1987, and Mercury conjoins the Sun.

